
IAMSON-SCRIBNER, F. Lamson

QK 495 G74L24I 1890 BOT. _, 2

Index to the Names of North American Grasses.

Indianapolis, 1890.

584.9 S47



elwed from the author

March 9, 1891

Ok G74 L24;

1890

Bot

INDEX TO THE NAMES OF

Morth American Grasses.

A REPORT PRESENTED TO THE SOCIETY FOR THE PROMOTION OF AGRICULTURAL SCIENCE,

AT THE
INDIANAPOLIS MEETING, 1890,

BY

W. J. BEAL, F. LAMPSON-SCRIBNER, WM. SAUNDERS.

COMMITTEE ON NOMENCLATURE OF GRASSES.

PUBLISHED BY AUTHORITY OF THE SOCIETY.





Lamson-Scribnen F. Index to the names of North American grasses/

INDEX TO GRASS NAMES.

COMPILED BY F. LAMSON-SCRIBNER.

African Cane.—Pennisetum spicatum. African Sugar Cane.—Sorghum saccharatum.

Agropyrum caninum, R. & S .-Bearded Wheat-grass, Awned Wheat-grass, Fibrous-rooted Wheat-grass.

Agropyrum divergens, Nees .-Wire Bunch-grass.

Agropyrum glaucum, R. & S.— Colorado Blue-stem, Blue-joint, Blue-stem, Blue-grass, Wheatgrass, Wild Quack-grass, Gumbograss.

Agropyrum repens, Beauv.—Couchgrass, Witch-grass, Quitch-grass, Quick-grass, Quack-grass, Quakegrass, Wheat-grass, Creeping Wheat-grass, Dog-grass, Dutchgrass, Durfa-grass, Durfee-grass, Devil's-grass, Chandler's grass, Scutch-grass, Twitch-grass, Fin's grass.

Agrostis alba, Linn.—Herd's grass, Bent-grass, English Bent, White Bent, Bonnet-grass, White-top, Dew-grass, Fiorin, Marsh Bentgrass.

Agrostis arachnoides, Ell.—Spider Bent-grass.

Agrostis canina, Linn.-Brown Bent, Dog's Bent, Mountain Redtop, Rhode Island Bent, Fine-top, Furze-top, Burden's grass.

Agrostis dispar, Michx.—Same as A. elata.

Agrostis elata, Trin.—Southern Bent, Tall Thin-grass.

Agrostis exarata, Trin.—Northern Red-top, Mountain Red-top

Agrostis perennans, Tuck.—Thingrass.

Agrostis scabra, Willd.—Rough Bent, Fly-away grass, Tickle-grass, Hair-grass, Fool-hay.

Agrostis stolonifera, Linn.—Creeping Bent, Fiorin.

Agrostis vulgaris, With.—Herd's grass, Bent, Fine-top, Fine Bent, Rhode Island Bent, Furze-top, Tall Red-top, Burden's grass, Red-top, Summer Dew-grass, Borden's grass.

Aira præcox, (Avena præcox), Linn.—Early Wild Oat-grass. Alabama Guinea-grass. — Sorghum

Halapense.
Alkali-grass.—Distichlis maritima. Alopecurus agrestis, Linn.-Slender Fox-tail.

Alopecurus aristulatus, Michx.-Wild Water-Fox-tail.

Alopecurus geniculatus, Linn.-Water Fox-tail, Floating Fox-tail.

Alopecurus occidentalis, Scribn. Mountain Fox-tail, Mountain Timothy.

Alopecurus pratensis, Linn.—Meadow Fox-tail.

Alpine Meadow-grass.—Poa laxa. American Canary-grass.—Phalaris intermedia.

Ammophila arundinacea, Host.— Mat-grass, Common Sea-Reed, Beach-grass, Sand-Reed, Reed,

Sea-sand Reed.

Ammophila brevipilis, Beuth.— Purple Bent.

Ammophila longifolia, Vasey .-Sand-grass, Woolly Bent-grass. Andes, Grass-of-the-.—Arrhenatherum avenaceum.

Andropogon argyræus, Schult.-Silver Beard-grass.

Andropogon furcatus, Michx.—The same as Andropogon provincialis, Lam.

Andropogon Hallii, Hack.—Turkeyfoot, Sand-grass.

Andropogon macrourus, Michx.-Brook-grass, Cluster-flowered Beard-grass.

Andropogon nutans, Linn,-Indian grass, Reed-grass, Wild Oat-grass, Bushy Blue-stem.

Andropogon provincialis, Lam.-Big Blue-stem, Finger-spiked Beard-grass, Finger-spiked Wood-grass, Finger-spiked Indian-grass, Blue-stem, Blue-joint, Blue Bent (in R. I.), Blue-grass, Turkey-foot.

Andropogon scoparius, Michx.-Little Blue-stem, Indian-grass, Purple Wood-grass, Wire-grass, Brown-grass, White Bent, Broom Sedge, Broom-grass.

Andropogon Sorghum, Brot.-Subspecies sativus, Hack.—Includes the cultivated varieties of Sor-

ghum.

Andropogon Sorghum, Brot., var. Halapensis, Hack.-Johnson grass, Cuba-grass, St. Mary's grass, False Guinea-grass, Mean's grass, Guinea-grass (see Panicum jumentorum), Egyptian Millet, Egyptian-grass, Green Valleygrass, Alabama Guinea-grass, Australian Millet, Morocco Millet, Evergreen Millet, Arabian Millet, Syrian-grass. (Sorghum Halapense).

Andropogon Sorghum, Brot., var. vulgaris, Hack.—Name now adopted for Sorghum vulgare,

(which see).
Andropogon Virginicus, Linn.-Broom Sedge, Broom-grass, Virginia Beard-grass, Sedge-grass.

Annual Meadow-grass.—Poa annua. Anthoxanthum odoratum, Linn .-Sweet Vernal-grass, Sweet-scented Vernal-grass, Sweet-scented Spring-grass, Sweet-scented grass, Vernal grass.

Arabian Millet, or Arabian Evergreen Millet.—Sorghum Halapense.

Aristida Californica, Thurb.—Hare's grass, "Zacate de liebre."

Aristida dichotoma, Michx.-Pov-

erty grass.

Aristida lanata, Poir.-Woolly Poverty-grass, Woolly Triple-awn, Poverty-grass.

Aristida oligantha, Michx.—Prairie Triple-awn.

Aristida purpurascens, Poir.— Beard-grass.

Aristida purpurea, Nutt.—Purple Beard-grass, Western Beardgrass, Beard-grass, Mesquit (or Mezquit) grass.

Aristida stricta, Michx.-Triple-awn, Wire-grass. Michx.—Downy

Aristida tuberculosa, Nutt.-Longawned Poverty-grass.

Aristida virgata, Michx.—Beardgrass.

Aristida, sp. indt.—White grama (Odessa, Texas).

Arrhenatherum avenaceum, Beauv. Tall Oat-grass, False Oat-grass, Tall Meadow Oat-grass, Ever-

green-grass, Oat-grass, Grass-ofthe-Andes, French Rye-grass. Arrow-grass.—Stipa Spartea.

Arundinaria gigantea, Chapm .-Cane, Large Cane (A. macrosperma, Michx.).

Arundinaria macrosperma, Mx.-Same as A. gigantea, Chapm.

Arundinaria tecta, Muhl.—Small Cane, Reed.

Asprella Hystrix, Willd.—Bottle Brush, Hedge-hog grass.

Austin-grass.—Panicum Texanum. Australian Millet.-Sorghum Halapense.

Australian Oats.—Bromus unioloides. Australian Prairie-grass.--Bromusuni-

Awned Wheat-grass.—Agropyrum caninum.

Avena fatua, Linn.—Sand Oats, Wild Oats.

Avena flavescens, Linn.-Yellow Oat-grass.

Avena præcox.-Same as Aira præ-Avena pratensis, Linn.-Meadow

Oat-grass.

Avena striata, Michx.—Purple Wild Oat-grass.

Avena pubescens, Linn.-Downy Oat-grass.

Barley-grass.—Hordeum pusillum. Barley-grass, Wild.—Hordeum pratense.

Barn-grass.—Panicum Crus-galli. Barn-yard grass.—Panicum Crus-galli.

Beach-grass. — Ammophila arundinacea, Uniola paniculata.

Beads Corn.—Coix Lachryma. Bear-grass.—Stipa setigera.

Beard-grass. - Polypogon Monspeliensis, Aristida purpurea, A. purpurascens, A. virgata; also applied to species of Andropogon.

Beard-grass, Cluster-flowered. - Andropogon macrourus.

Beard-grass, Creeping. — Oplismenus setarius.

Beard-grass, Finger-spiked.—Andropogon provincialis.

Beard-grass, Naked.—Generic name for species of Gymnopogon

Beard-grass, Short-leaved.—Gymnopogon brevifolius.

Beard-grass, Silver.—Andropogon argyræus. Beard-grass, Virginia. — Andropogon

Virginicus. Beard-grass, Western.—Aristida pur-

purea.

Beard-grass, Woolly.—Erianthus saccharoides.

Bearded Darnel.—Lolium temulentum.
Bearded Wheat-grass.—Agropyrum caninum.

Beckmannia erucæformis, Host.— Slough-grass (Montana), Wild Timothy (in Nevada).

Bengal-grass.—Setaria Italica.

Bent-grass, or simply Bent.—Generic name for species of *Agrostis*; applied oftentimes to *A. alba* and *A. vulgaris*.

Bent, Blue.—Andropogon provincialis. Bent, Brown.—Agrostis canina.

Bent, Creeping.—Agrostis stolonifera.

Bent, Dog's.—Agrostis canina. Bent, English.—Agrostis alba.

Bent, Fine.—Agrostis vulgaris.

Bent, Marsh.—Agrostis alba.
Bent-grass, Panic.—Panicum agro-

stoides.
Bent, Purple. — Calamagrostis brevipilis.

Bent, Reed. — Calamagrostis Canadensis.

Bent, Rhode Island.—Agrostis vulgaris and A. canina.

Bent, Rough.—Agrostis scabra.

Bent, Southern.—Agrostis elata.

Bent, Spider.—Agrostis arachnoides. Bent, White.—Agrostis alba, Andropo-

gon scoparius.
Bent, Woolly.—Calamagrostis longifo-

lia, which is the same as Ammophila longifolia, Vasey.

Bermuda-crass.—Cinodon Dactulon.

Bermuda-grass.—Cynodon Dactylon. Big Blue-stem.—Andropogon provincialis.

Bitter Panic-grass. — Panicum amarum.

Black Bent.—Panicum virgatum.

Black Bunch-grass.—Hilaria Jamesii. Black-fruited Mountain Rice.—Oryzopsis melanocarpa.

Black Grama.—Bouteloua oligostachya, Muhlenbergia pungens.

Black Oat-grass.—Stipa avenacea.

Blerpharidachne (Eremochloe).—
Desert-grass.

Blowout-grass.—Redfieldia flexuosa. Blue Bent (of R. I.).—Andropogon provincialis.

Blue Grama.—Bouteloua oligostachya. Blue-grass.—Poa pratensis, Poa compressa, Andropogon provincialis, Agropyrum glaucum.

Blue-grass, English.—Poa pratensis, Festuca elatior.

Blue-grass, Kentucky.—Poa pratensis. Blue-grass, Smaller.—Poa compressa. Blue-grass, Texas.—Poa arachnifera. Blue-joint-grass.—Calamagrostis Candensis, Agropyrum glaucum, Andropogon provincialis.

Blue-stem.—Agropyrum glaucum, Andropogon provincialis.

Blue-stem, Big.—Andropogon provincialis.

Blue-stem, Bushy.—Andropogon nutans.

Blue-stem, Colorado. — Agropyrum glaucum.

Blue-stem, Little.—Andropogon scoparius.

Bonnet-grass.—Agrostis alba.

Borden's grass.—Agrostis vulgaris. Bottle-grass.—Setaria glauca and Setaria viridis.

Bottle-Brush grass.—Asprella Hystrix. Bottom-grass.—Panicum Texanum.

Bouteloua curtipendula.—The same as B. racemosa, Lag., q. v.

Bouteloua eriopoda, Torr.—Woollyjointed Grama.

Bouteloua hirsuta, Lag.—Black Grama (Texas), Bristly Mesquit, Muskit or Meskit grass, Tall Grama.

Bouteloua oligostachya, Torr.— Blue Grama (Texas), Mesquitgrass, Muskit grass, Grama, Black Grama (New Mexico), Mosquit grass, Buffalo grass (in Montana), White Grama.

Bouteloua polystachya, Torr.—Low Grama, Six-weeks' grass.

Bouteloua racemosa, Lag.—Tall Grama, Hairy Mesquit, Muskitgrass. (B. curtipendula.).

Bouteloua Texana, Watson.—Texan Mesquit, Mesquit.

Branching Fox-tail.—Trichloris verticillata.

Branching Spear-grass. — Eragrostis tenuis.

Bristly Foxtail.—Setaria Germanica and S. verticillata.

Bristly Muskit or Mesquit.—Bouteloua hirsuta.

Briza media, Linn.—Quaking-grass. Brome-grass.—Generic name for species of *Bromus*.

Brome-grass, Californian. — Bromus carinatus.

Brome-grass, Fringed.—Bromus cilia-

Brome-grass, Smooth.—Bromus race-mosus.

Brome-grass, Soft.—Bromus mollis. Brome-grass, Willard's.—Bromus secalinus.

Bromus carinatus, Hook.—California Brome-grass.

Bromus ciliatus, Linn. — Swamp Chess, Fringed Brome-grass. Bromus Kalmii, Gray.—Wild Chess. Bromus mollis, Linn.—Soft Chess, Soft Brome-grass.

Bromus racemosus, Linn.—Smooth Brome-grass, Upright Chess.

Bromus Schraderi.—Same as Bromus unioloides.

Bromus secalinus, Linn. - Chess, Cheat, Willard's Brome-grass.

Bromus unioloides, Willd.—Rescue grass, Schrader's Brome-grass, Australian Oats, Australian Prairie-grass.

Bromus Willdenovii.—Same as Bromus unioloides.

Brook-grass.—Andropogon macrourus. Broom Corn.—Sorghum saccharatum, variety.

Broom-grass.— Andropogon scoparius and A. Virginicus.

Broom Sedge.—Andropogon Virginicus; also applied sometimes to Andropogon scoparius.

Brown Bent-grass.—Agrostis canina. Brush, Bottle.—Asprella Hystrix.

Buchloe dactyloides, Engelmann. Buffalo-grass, False Mesquit, Early Mesquit, Meskit grass.

Buffalo-grass. — Buchloe dactyloides, Bouteloua oligostachya, Panicum Texacum, Stipa spartea (in the Saskatchewan region).

Buffalo - Bunch grass. — Festuca scabrella.

Bull-grass,—Spartina cynosuroides and Paspalum plicatulum, Tripsacum dactyloides.

Bunch - grass. -Oryzopsis cuspidata, Poa tenuifolia, Stipa viridula, S. comata, Sporobolus heterolepis, Calamagrostis sylvatica, etc. This lamagrostis sylvatica, etc. This name is applied by the ranchmen in the west to many of the native grasses.

Bunch-grass, Buffalo. — Festuca scabrella.

Bunch-grass, Early. - Eatonia obtu-

Bunch-grass, Feather.—Stipa viridula. Bunch-grass, Great.—Festuca scabrella. Bunch-grass, Pine.—Festuca ovina, L. variety.

Bunch-grass, Wire.—Agropyrum divergens.

Bunch-Hair-grass.—Muhlenbergia trichopodes.

Bunch Spear-grass.—Poa Andina.

Bur-grass.—Cenchrus tribuloides. Burden's grass.—Agrostis vulgaris, A. canina.

Bushy Blue-stem.—Andropogon nutans.

Buzzard-grass (local).—Eleusine Indica.

Calamagrostis arenaria, Roth. Same as Ammophila arundinacea.

Calamagrostis brevipilis, Gray (Ammophila brevipilis).—Purple Bent.

Calamagrostis Canadensis.—Bluejoint-grass, Sand-grass, Red-top Canadian Small-Reed, Fowl Meadow-grass.

Calamagrostis Howellii, Vasey.— Howell's grass.

Calamagrostis longifolia.—Same as Ammophila longifolia and Calamovilfa longifolia.

Calamagrostis Nuttalliana.—Reed Bent-grass, Wild Oats (Calamagrostis coarctata is the same).

Calamagrostis sylvatica. — Bunchgrass.

Calf-kill.—Holcus lanatus.

California Brome-grass.—Bromus carinatus.

California Oat-grass.—Danthonia Californica.

California Timothy.—Phalaris intermedia, variety angusta.

Canada Lyme-grass.—Elymus Canadensis.

Canadian Small-Reed.—Calamagrostis Canadensis.

Canary-grass.—Generic name for species of Phalaris; applied especially to Phalaris canariensis.

Canary-grass, Reed.—Phalaris arundinacea.

Canary-grass, Southern.—Phalaris intermedia.

Canary-grass, Stewart's.—Phalaris intermedia.

Candy-grass. -Eragrostis minor.

Cane.—Arundinaria gigantea, Chapm. Cane, African.—Pennisetum spicatum, the same as Pennisetum typhoideum, Pers.

Cane, Chinese Sugar. -- Sorghum saccharatum, S. vulgare.

Cane, Large.—Arundinaria gigantea. Cane, Maiden.—Panicum Curtisii.

Cane, Small.—Arundinaria tecta, Panicum divaricatum.

Cane, Sugar.—Sorghum vulgare. Carpet-grass. - Sporobolus Indicus Phares).

Catch-fly-grass.—Leersia lenticularis. Cat's-tail-grass.—Phleum pratense. Cat-tail Millet.—Pennisetum spicatum, Setaria Italica

Cenchrus echinatus, Linn.-Cockspur.

Cenchrus tribuloides, Linn.—Sandbur, Sand-spur, Hedge-hog grass, Bur-grass, Cock-spur Bur.
Chandler's grass.—Agropyrum repens.

Cheat.—Bromus secalinus.

Chess.—Bromus secalinus.

Chess, Soft.—Bromus mollis.

Chess, Ewamp.—Bromus ciliatus. Chess, Upright.—Bromus racemosus.

Chess, Wild.—Bromus Kalmii.

Chicken Corn.—Sorghum cernuum. Chinese Sugar Corn.—Sorghum sac-

Chinese Sugar Corn.—Sorghum sac charatum, S. vulgare.

Chinese Wheat.—Sorghum vulgare. Chocolate Corn.—Sorghum vulgare.

Chrysopogon nutans, Benth.—Same as *Andropogon nutans*, Linn.

Chloris petræa.—Sea-side Fingergrass. (Eustachys petræa is the same.)

Cinna arundinacea, Linn.—Indian Reed, Wood Reed-grass, Sweet Reed.

Cinna pendula, Trin.—Slender Reedgrass, Drooping Reed-grass.

Close-flowered Drop-seed grass.— Sporobolus compressus.

Cock's-foot, Rough.—Dactylis glome-rata.

Cluster-flowered Beard-grass.— Andropogon macrourus.

Cock's-foot.—Panicum Crus-galli.

Cockspur.—Cenchrus echinatus. Cockspur Bur.—Cenchrus tribuloides.

Coix lachryma, Linn.—Job's Tears, Tear-grass, Corn Beads.

Colorado-grass.—Panicum Texanum. Colorado Blue-stem.— Agropyrum glaucum.

Comb - grass, Meadow. — Eragrostis pectinacea.

Common Manna-grass.—Glyceria fluitans.

Common Meadow-grass.—Poa trivialis.

Common Sea-Reed. — Ammophila arundinacea.

Cord-grass, Freshwater. — Spartina cynosuroides.

Corn Beads.—Coix lachryma.

Corn, Broom.—Sorghum saccharatum, now called Andropogon Sorghum, variety saccharatus, Hack.

Corn, Chicken.—Sorghum cernuum. Corn, Chocolate.—Sorghum vulgare,

Corn, Dura.—Sorghum vulgare; see Andropogon Sorghum, var. vulgaris.

Corn, Guinea. — Šorghum cernuum, same as Andropogon Sorghum, var. cernuus, Hack.

Corn, Indian.—Zea Mays.

Corn, White Egyptian.—Sorghum cernuum.

Couch-grass.—Agropyrum repens.

Crab - grass. — Panicum sanguinale, Schedonnardus Texanus, Eleusine Indica.

Crab-grass, Slender.—Panicum filiforme.

Crab-grass, Sprouting.—Panicum proliferum.

Crab-grass, Texan. — Schedonnardus Texanus.

Creeping Beard-grass.—Oplismenus setarius, also called Panicum hirtellum.

Creeping Bent-grass.—Agrostis stolonifera.

Creeping Meadow, grass.— Eragrostis reptans.

Creeping Poa.—Poa compvessa.

Creeping Sea Spear-grass.—Glyceria maritima.

Creeping Soft-grass.—Holcus mollis. Creeping Spear-grass.—Poa compressa. Creeping Wheat-grass.—Agropyrum repens, (Triticum repens).

Crested Dog's-tail-grass. — Cynosurus cristatus.

Crop-grass.—*Eleusine Indica*. (Crabgrass is probably a corruption of Crop-grass.)

Crow-foot-grass.— Eleusine Indica, Dactyloctemium Ægyptiacum.

Ctenium Americanum, Spreng.—
Toothache-grass, Lemon-grass.
Cuba-grass.—Sorahum Halavense.

Cuba-grass.—Sorghum Halapense. Cut-grass.—Leersia oryzoides.

Cut-grass, European.—Leersia oryzoides.

Cut-grass, Rice.—Leersia oryzoides. Cut-grass, Virginia.—Leersia Virginica. Cynodon Dactylon, Pers.—Bermuda

grass, Reed-grass, Scutch-grass, Dog's-tooth-grass, Wire-grass. Cynosurus cristatus.—Crested Dog's

Cynosurus cristatus.—Crested Dog's tail grass.

Dactylis glomerata, Linn.—Orchard grass, Rough Cock's-foot.

Dactyloctenium Ægyptiacum, Willd.—Crow-foot grass, Egyptian-grass.

Danthonia Californica, Boland.— California Oat-grass.

Danthonia compressa, Austin.— Tennessee Oat-grass, Mountain Oat-grass.

Danthonia sericea, Nutt.—Silky Oat-grass, Taller Wild Oat-grass, Silky-flowered Oat-grass.

Danthonia spicata, Beauv.—Wild Oat-grass, White-top, Old Fog, June-grass, Poverty-grass. Danthonia unispicata. — Mountain Oat-grass.

Darnel.—Lolium temulentum.

Darnel, Bearded.—Lolium temulentum. Darnel, Fescue.—Festuca loliacea.

Deer-grass.—Epicampes rigens.

Dennett-grass.—Elymus striatus.

Deschampsia cæspitosa, Beauv.— Tufted Hair-grass. (This is the same as Aira cæspitosa.)

Deschampsia flexuosa, Griseb.-Hair-grass, Wood Hair-grass.

Desert-grass.—Generic name applied to species of Eremochloe (Blepharidachne, Hack.).

Devil's-grass.—Agropyrum repens. Devil's Darning-needles.—Stipa spar-

Devil's Knitting-needles.—Stipa spartea.

Dew-grass.—Agrostis alba.

Dew-grass, Summer.—Agrostis vulgaris.

Deyeuxia Canadensis, Hook.—Calamagrostis Canadensis, which see).

Diarrhena Americana, Beauv. Twin-grass.

Diplachne fascicularis, Beauv. -Spike-grass

Distichlis maritima, Rafin. (Brizopyrum spicatum).--Salt-grass, Sand grass, Alkali-grass, Spike-grass, Quack-grass.

Dog or Dog's-grass.—Agropyrum repens.
Dog's Bent.—Agrostis canina.

Dog's-tail grass.—Eleusine Indica. Dog's-tail grass, Crested.—Cynosurus cristatus.

Dog's-tooth grass.—Cynodon Dactylon, Eleusine Indica.

Downy Oat-grass.—Avena pubescens. Downy Persoon.—Trisetum subspica-

tum, var. molle. Downy Triple-awn.—Aristida stricta. Drooping Reed-grass.—Cinna pendula.

Drop-seed grass.—Generic name for species of Sporobolus; also applied to species of Muhlenbergia (e. g. Sporobolus compressus, Muhlenbergia Mexicana).

Drop-seed grass, Late.—Sporobolus serotinus.

Drop-seed grass, Rush-like.—Sporobolus junceus.

Duck-grass.—Poa serotina.

Durfa or Durfee-grass.—Agropyrum repens.

Durra Corn.—Sorghum vulgare. Dutch-grass.—Agropyrum repens. Dwarf Meadow-grass.—Poa annua.

Early Bunch-grass,—Eatonia obtusata. Early Meadow-grass.—Poa annua.

Early Mesquit.—Buchloe dachtyloides. Early Wild Oat-grass.—Aira (Avena) præcox.

East Indian Millet.—Pennisetum spi-

Eaton's grass.—Eatonia Pennsylvanica. Eatonia obtusata, Gray. - Early

Bunch-grass, Prarie-grass. Eatonia Pennsylvanica, Gray. -Eaton's grass.

Egyptian - grass.—Dactyloctenium Egyptiacum, Sorghum Halapense. Egyptian Millet.—Pennisetum spicatum, Sorghum Halapense.

Eleusine Indica, Gærtn. - Goosegrass, Dog's-tail grass, Yard-grass, Crow-footgrass, Wire-grass, Crabgrass, Crop-grass, Dog's-tooth grass, Buzzard-grass,

Elymus arenarius, Linn.-Upright Sea-Lyme-grass.

Elymus Canadensis, Linn.-Canada Lyme-grass, Wild Rye, Terrellgrass.

Elymus condensatus, Presl.—Giant Rye-grass, Rye-grass, Western Rye-grass

Elymus Sibiricus.—Siberian Lymegrass.

Elymus striatus, Willd.—Dennettgrass, Slender Hairy Lyme-grass.

Elymus triticoides, Nutt. - Wild Wheat, Wild Rye.

Elymus Virginicus, Linn.—Lymegrass, Smooth Rye-grass, Terrell grass, Wild Rye, Virginia Lymegrass.

English grass.—Poa pratensis. English Bent-grass.—Agrostis alba. English Blue-grass.—Festuca elatior. English Rye or Ray-grass.—Lolium

perenne. Epicampes rigens, Benth.—Deer-

grass Eragrostis Frankii, Meyer.—Shortstalked Meadow-grass.

Eragrostis major, Host. — Stink-grass, Pungent Meadow-grass.

Eragrostis minor, Host.-Candygrass, Strong-scented Meadow-grass, Stink-grass.

Eragrostis pectinacea, Gray.-Meadow Comb-grass.

Eragrostis pilosa, Linn.—Slender Meadow-grass.

Eragrostis Purshii, Schrad.—Southern Spear-grass, Southern Eragrostis.

Eragrostis reptans, Nees.—Creeping Meadow-grass.

Eragrostis tenuis, Gray.—Branching Spear-grass.

Erianthus saccharoides, Michx.— Plume-grass, Woolly Beard-grass, Fox-tail.

Euchlæna luxurians. — Teosinte, Gautemala-grass.

European Cut-grass. — Leersia oryzoides.

Eustachys petræa.—See Chloris petræa.

Evergreen-grass.—Arrhenatherum avenaceum; more rarely applied to Festuca elatior.

Evergreen Millet.—Sorghum Halapense.

Fall Marsh-grass.—Spartina cynosu-

Fall Red-top.—Triodia cupræa (Tricuspis sesteriodes).

False Buffalo-grass.—Munroa squar-

False Guinea-grass.—Sorghum Hala-

False Mesquit.—Buchloe dactyloides. False Oat-grass.—Arrhenatherum avenaceum.

False Red-top.—Poa serotina. False Rice.—Leersia oryzoides.

Feather-grass.—Generic name for species of Stipa, applied especially to Stipa pennata. Also applied to Leptochioa mucronata and Holcus lanatus.

Feather Bunch-grass.—Stipa viridula. Fescue Grass.—Generic name for species of Festuca.

Fescue, Darnel.—Festuca loliacea. Fescue, Hard.—Festuca duriuscula.

Fescue, Meadow.—Festuca pratensis. Fescue, Nodding.—Festuca nutans. Fescue, Sheep's.—Festuca ovina. Fescue, Small.—Festuca microstachya.

Fescue, Spiked.—Festuca loliacea. Fescue, Tall.—Festuca elatior.

Fescue, Tall Meadow.-Festuca elatior. Fescue, Western.—Festuca microstachya.

Fescue, Wild.—Uniola latifolia. Festuca duriuscula, Lam.—Hard Fescue

Festuca elatior, Linn.—Tall Fescue, Tall Meadow Fescue, English Blue-grass, Randall-grass, Evergreen-grass.

Festuca Ioliacea.—Darnel Fescue, Spiked Fescue.

Festuca microstachya, Nutt.-Western Fescue, Small Fescue.

Festuca nutans, Willd.—Nodding Fescue.

Festuca ovina, Linn.—Sheep's Fescue, Pinon-grass (in Nevada), Pine Bunch-grass.

Festuca pratensis, Linn.—Meadow Fescue, Randall grass.

Festuca scabrella, Torr.—Buffalo Bunch-grass, Great Bunch-grass. **Festuca tenella.**—Slender Fescue.

Festuca unioloides.—Same as Bromus unioloides, which see.

Festuca, sp.—Pine Bunch-grass. Fibrous-rooted Wheat-grass.—Agropyrum caninum.

Fin's grass.—Agropyrum repens. Fine Bent.—Agrostis vulgaris.

Fine-top.—Agrostis vulgaris and A. canina and Sporobolus airoides. Finger-grass.—Panicum sanguinale.

Finger-grass, Hairy.—Panicum sanguinale.

Finger-grass, Sea-side.-Chloris petræa. Finger-spiked Beard-grass.—Andropogon provincialis. (A. furcatus is the same.)

Finger-spiked Indian grass.—Andropogon provincialis.

Finger-spiked Wood-grass.—Andropogon provincialis.

Fiorin.—Agrostis stolonifera; also A. alba.

Flat-stalked or Flat-stemmed grass.— $Poa\ compressa.$ Flat-stalked Blue-grass.— Poa com-

pressa. Floating - grass.—Hydrochloa Caroli-

nensis. Floating Fox-tail.—Alopecurus genicu-

latus. Floating Manna-grass.—Glyceria flui-

Fly-away-grass.—Agrostis scabra. Fly-catch-grass.—Leersia lenticularis.

Fog, Old.—Danthonia spicata. Fool-hay.—Panicum capillare and Agrostis scabra.

Fowl Meadow-grass.— Glyceria nervata, Pou serotina, and Calamagrostis Canadensis.

Fox-tail.—Setaria glauca, Erianthus saccharoides (E. alopecuroides), Trichloris verticillata, and Hordeum jubatum, and species of Alopecurus.

Fox-tail, Branching.—Trichloris verticillata.

Fox-tail, Bristly.—Setaria verticillata and S. Germanica.

Fox-tail, Floating.—Alopecurus geniculatus.

Fox-tail, Green.—Setaria viridis. Fox-tail, Large.—Setaria composita.

Fox-tail, Meadow.—Alopecurus pratensis.

Fox-tail, Slender.—Alopecurus agrestis. Fox-tail, Wild Water.—Alopecarus aristulatus.

Fox-tail, Wrinkled.--Setaria corrugata.

Fox-tail, Yellow.—Setaria glauca. French Rye-grass.—Arrhenatherum avenaceum.

Fresh-water Cord-grass.—Spartina cynosuroides.

Fringed Brome-grass.—Bromus cilia-

Furze-top.—Agrostis vulgaris and A. canina.

Gama-grass.—Tripsacum dactyloides. Gastridium australe, Beauv.-Nit-

German Millet.—Setaria Germanica. Giant Rye-grass.—Elymus condensatus. Gilbert's Relief-grass.—Phalaris intermedia.

Glyceria aquatica.—Reed Meadowgrass, White Spear-grass.

Glyceria Canadensis, Trin.-Rattlesnake-grass, Tall Quacking-grass.

Glyceria fluitans, R. Br.—Floating Manna-grass, Common Mannagrass.

Glyceria maritima, Wahl.—Sea Spear-grass, Creeping Sea Speargrass, Creeping grass, Goose-grass. Creeping Sea Meadow-

Glyceria nervata, Trin.-Fowl Meadow-grass, Meadow Spear-grrss,

Nerved Manna-grass. Glyceria pallida, Trin.—Pale Man-

na-grass. Golden Millet.—Setaria Italica var. Golden Oat-grass.—Avena flavescens.

Goose-grass.—Eleusine Indica, Glyceria maritima, Panicum Texanum, Poa annua

Grama.—Generic name for species of Bouteloua. Applied sometimes to Muhlenbergia Texana.

Grama, Black. - Bouteloua oligostachya, Muhlenbergia pungens, Boateloua hirsuta.

Grama, Blue.—Bouteloua oligostachya. Grama, China.—Muhlenbergia pun-

gens.
Grama, Low.—Bouteloua polystachya. Grama, Tall.—Bouteloua hirsuta, Bouteloua racemosa.

Grama, White.— Bouteloua oligosta. chya variety, and a species of Aristida.

Grama, Woolly-jointed.—Bouteloua eriopoda.

Grape-vine Mesquit or Grape-vine grass.—Panicum obtusum.

Grass-of-the-Andes. — Arrhenatherum avenaceum.

Great Bunch-grass.—Festuca scabrella. Great Millet.—Sorghum vulgare. Green Fox-tail.—Setaria viridis.

Green grass.—Poa pratensis, Poa trivialis.

Green Pigeon-grass.—Setaria viridis. Green Valley-grass.—Sorghum Halapense.

Gautemala-grass. — Euchlæna luxurians.

Guinea Corn.—Sorghum cernuum.

Guinea-grass.—Panicum jumentorum; erroneously applied to Sorghum Halapense.

Alabama. — Sorghum Guinea-grass, Halapense.

Guinea-grass, False.—Sorghum Halapense.

Gumbo-grass.—Agropyrum glaucum. "Guyettæ."—Hilaria Jamesii.

Gymnopogon brevifolius, Trin.-Short-leaved Beard-grass.

Gymnopogon racemosus, Beauv.-Naked Beard-grass.

Hard Fescue.—Festuca duriuscula. Hard - grass. — Stenotaphrum Americanum.

Hair-grass.—Generic name for species of Deschampsia (Aira). Applied to Deschampsia flexuosa, Agrostis scabra and Muhlenbergia capillaris.

Hair-grass, Bunch.—Muhlenbergia Trichopodes.

Hair-grass, Muhlenberg's.

Hair-grass, Sea-side. — Muhlenbergia capillaris.

Hair-grass, Tufted.—Deschampsia cæspitosa.

Hair-grass, Wood.—Deschampsia flex-

Hairy Finger-grass.— Panicum sanguinale.

Hairy-flowered Paspalum.--Paspalum ovatum.

Hairy Muskit.—Bouteloua racemosa. Hare's-grass.—Aristida Californica.

Hedge-hog grass.—Asprella hystrix and Cenchrus tribuloides.

Herd's-grass.—Agrostis alba, Agrostis vulgaris, and Phleum pratense

Hierochloe borealis, R. & S.-Vanilla-grass, Seneca-grass, Holygrass, Sweet-grass.

Hilaria cenchroides, H. B. K .-Running Mesquit.

Hilaria Jamesii, Benth. — Black Bunch-grass, "Guyetta."

Holcus lanatus, Linn. - Velvet-grass, Velvet Meadow Soft-grass, Velvet Mesquit, Velvet Lawn-grass, Meadow Soft-grass, Woolly Softgrass, White Timothy, Yorkshire White, Yorkshire Fog, Salemgrass, Feather-grass, Calf-kill, Hungarian Blue-grass.

Holcus mollis, Linn.—Creeping Softgrass.

Holy-grass.—Hierochloa borealis.

Hordeum jubatum, Linn .-- Squirreltail grass, Fox-tail.

Hordeum pratense, Huds.—Wild Barley, Squirrel-tail grass.

Hordeum pusillum, Nutt.-Barley-

Horse Millet.—Pennisetum (Penicillaria) spicatum.

Howell's grass.—Calamagrostis How-

Hungarian grass.—Setaria Germanica. Hungarian Blue-grass.—Holcus lana-

Hydrochloa Carolinensis, Beauv.-Floating-grass.

Indian Corn.—Zea Mays.

Indian-grass.—Sorghum nutans (Andropogon nutans), Sorghum avenaceum (Andropogon nutans var. avenaceus), and Andropogon scoparius.

Indian-grass, Finger-spiked.—Andropogon provincialis.

Indian-grass, Oat-like.—Sorghum nu-

Indian Millet.—Oryzopsis cuspidata, Pennisetum spicatum, Sorghum vul-

gare, Setaria Italica. Indian Reed.—Cinna arundinacea. Indian Rice.—Zizania aquatica. Italian Rye-grass.—Lolium Italicum. Ivory Wheat.—Sorghum vulgare.

Japan Millet.—Pennisetum spicatum. Job's Tears.—Coix lachryma. Johnson-grass.—Sorghum Halapense. Joint-grast.—Paspalum distichum.
June-grass.—Poa pratensis, Koeleria cristata, Danthonia spicata.
June-grass, Wild.—Koeleria cristata.

Kentucky Blue-grass.—Poa pratensis. Knot-grass.—Paspalum distichum. Knot-root grass — Muhlenbergia Mexicana.

Koeleria cristata, Pers.—Wild June grass, June-grass, Prairie-grass.

Large Cane.—Arundinaria gigantea. Large Crow-foot grass. — Panicum Crus-galli.

Large Fox-tail.—Setaria composita. Large, White-grained Mountain Rice. Oryzopsis asperifolia.

Late Drop-seed grass.—Sporobolus serotinus.

Lawn-grass, Velvet.—Holcus lanatus. Leersia lenticularis, Mx.—Catch-fly grass, Fly-catch grass.

Leersia oryzoides, Swz.—Rice Cutgrass, Rice grass, Cut-grass, False Rice, White-grass, European Cutgrass, Prickle-grass.
Leersia Virginica, Willd.—Virginia

Cut-grass, White-grass, Small-flowered White-grass.

Lemon-grass.—Ctenium Americanum. Leptochloa mucronata.—Feather-

Lepturus paniculatus, Nutt.—Same as Schedonnardus Texanus (which

Little Blue-stem grass.—Andropogon scoparius.

Lizzard-tail grass.—Manisurus granularis.

Lolium Italicum. - Italian Ryegrass.

Lolium perenne, Linn.-Perennial Rye-grass, Ray or Rye-grass, Darnel, English Rye-grass.

Lolium temulentum, Linn.-Darnel, Poison Rye-grass, Bearded Darnel. Long-awned Poverty-grass.—Aristida tuberculosa.

Louisiana Grass.—Paspalum platycaule.

Low Grama.—Bouteloua polystachya. Low Spear-grass.—Poa annua.

Lyme-grass.—Generic name for species of Elymus, applied especially to Elymus Virginicus.

Lyme-grass, Canada.—Elymus Canadensis.

Lyme-grass, Slender Hairy.—Elymus striatus.

Lyme-grass, Upright Sea.—Elymus arenarius.

Lyme-grass, Siberian.—Elymus Sibi-

Lyme-grass, Virginian.—Elymus Virginicus.

Manisurus granularis. - Lizzardtail grass.

Maiden Cane.—Panicum Curtissi.

Maize.—Zea Mays.

Manna-grass. — Generic bame for species of Glyceria. Applied in Germany to Panicum sanguinale.

Common. — Glyceria Manna-grass, This is also called fluitans. Floating Manna-grass.

Manna-grass, Nerved.—Glyceria ner-

Manna-grass, Pale.—Glgceria pallida. Marsh-grass. — Spartina cynosuroides, Spartina glabra.

Marsh-grass, Fall.—Spartina cynosuroides.

Marsh-grass, Rough.—Spartina gla-

Marsh-grass, Salt.—Spartina stricta, Spartina juncea.

Marsh-grass, Smooth.—Spartina alterniflora.

Marsh Bent.—Agrostis alba.

Marsh Oat-grass.—Trisetum palustre. Mat-grass.—Ammophila arundinacea.

Maton.—Sporobolus Wrightii. May-grass.—Poa annua.

Meadow-grass, Alpine.—Poa laxa.

Meadow-grass, Annual.—Poa annua. Meadow-grass, Common.—Poa trivialis.

Meadow-grass, Creeping.—Eragrostis reptans.

Meadow-grass, Creeping Sea.-Glyceria martima.

Meadow-grass, Dwarf.—Poa annua.

Meadow-grass, Early.—Poa annua. Flat-stalked. — Poa Meadow-grass,

compressa.

Meadow-grass, Fowl.—Glyceria nervata, Poa serotina, Calamagrostis Canadensis.

Meadow-grass, Pungent.— Eragrostis major.

Meadow-grass, Reed.—Glyceria aqua-

Meadow-grass, Rough-stalked.—Poa trivialis.

Meadow-grass, Rough.—Poa trivialis. Meadow-grass, Short-stalked.—Era grostis Frankii.

Meadow-grass, Slender. — Eragrostis pilosa.

Meadow-grass, Smooth.—Poa pra-

tensis. Meadow-grass, Smooth-stalked.—Poa

pratensis. Meadow-grass, Strong-scented.—Eragrostis minor

Meadow-grass. Wavy.—Poa laxa. Meadow Cat's-tail grass. — Phleum pratense.

Meadow Comb-grass.—Eragrostis pectinacea.

Meadow Fescue.—Festuca pratensis. Meadow Fox-tail.— Alopecurus pratensis.

Meadow Oat-grass.—Avena pratensis. Meadow Soft-grass.—Holcus lanatus. Meadow Soft-grass, Velvet.—Holcus lanatus.

Meadow Spear-grass.—Glyceria ner-

Mean's Grass.—Sorghum Halapense. Melic grass.—Melica mutica

Melica mutica, Walt.—Melic grass. Meskit grass.-Bouteloua hirsuta, Buchloa dactyloides.

Mesquit grass.—Applied generally to species of Bouteloua, (e. g. Bouteloua Texana), and to Aristida purpurea.

Mesquit, Grape-vine.—Panicum obtusum.

Mesquit, Bristly.—Bouteloua hirsuta. Mesquit, Early.—Buchloe dactyloides.
Mesquit, False.—Buchloe datyloides.

Mesquit, Running or Creeping.-Hilaria cenchroides.

Mesquit, Velvet.—Holcus lanatus. Mesquit, Vine.—Panicum obtusum.

Mezquit-grass. - Same as Mesquitgrass.

Millet, African.—Pennisetum spicatum.

Millet, Arabian Evergreen.—Andropogon Sorghum var. Halapensis (Sorghum Halapense).

Millet, Australian.—Same as Arabian Evergreen.

Millet, Cat-tail.—Setaria Italica, Pennisetum spicatum.

- Panicum Mili-Millet, Common. aceum, Pennisetum spicatum, Milium effusum.

Millet, East Indian.—Pennisetum spicatum.

Millet, Egyptian.—Pennisetum spicatum, Andropogon Sorghum.
Millet, Evergreen.—Sorghum Hala-

pense.

Millet, German.—Setaria Germanica. Millet, Golden.—Setaria Italica, var. Millet, Great.—Sorghum vulgare.

Millet, Horse.—Pennisetum spicatum. Millet, Indian.—Oryzopsis (Eriocoma) cuspidata, Sorghum vulgare, Pennisetumspicatum, and Setaria Italica.

Millet, Japan.—Pennisetum spicatum. Millet, Morocco. -- Sorghum Halapense. Millet, Pearl.—Pennisetum spicatum.

Millet, Polish.—Panicum sanguinale. Millet-grass, Wild.—Milium effusum, Oryzopsis cuspidata, (Eriocoma cuspidata), and Setaria viridis.

Milium effusum, Linn.-Wild Millet, Millet-grass.

Montana Rye.—Triticum Polonicum. Morocco Millet.—Sorghum Halapense. Mosquit grass.— Bouteloua tachya.

Mountain Oat-grass.—Danthonia compressa, Danthonia unispicata. Mountain Poa.—Poa alpina.

Mountain Red-top.—Agrostis exarata,

A. canina. Mountain Rice.—Generic name for

species of Oryzopsis. - Oryzopsis asperifolia.

Mountain Rice, Black-fruited.—Oryzopsis melanocarpa.

Mountain Rice, Large, White-grained.—Oryzopsis asperifolia. Mountain Rice, Small.— Oryzopsis

Canadensis.

Mountain Spear-grass.—Poa andina. Poa alpina.

Mountain Timothy.—Alopecurus occidentalis, Phleum alpinum.

Mulenbergia capillaris, Kth.—Seaside Hair-grass, Muhlenberg's Hair-grass.

Muhlenbergia diffusa, Schreb. Nimble Will, Wire grass, Dropseed grass.

Muhlenbergia glomerata, Trin.-Muhlenberg's grass, Satin grass, Wild Timothy

Muhlenbergia Mexicana, Trin.-Drop-seed grass, Wood grass, Knot-root grass.

Muhlenbergia pungens, Thurb .-Black Grama, Grama China.

Muhlenbergia Texana, Thurb .--Grama.

Muhlenbergia trichopodes, Chapm. Bunch Hair-grass.

Munro grass.—Panicum agrostoides. Munroa squarrosa, Torr. — False Buffalo-grass.

Muskit grass.—Bouteloua racemosa (B. curtipendula), Bouteloua hirsuta, Bouteloua oligostachya.

Naked Beard-grass. — Gymnopogon rccemosus.

Native Timothy.—Phleum alpinum. Needle-grass.—Stipa comata.

Needle-and-thread.—Stipa comata. Nerved Manna-grass.—Glyceria ner-

Nimble Will.—Muhlenbergia diffusa. Nit grass.—Gastridium australe. Nodding Fescue.—Festuca nutans. Northern Red-top.—Agrostis exarata.

Oat-grass.—Arrhenatherum avenaceum. Oat-grass, Black.—Stipa avenacea. Oat-grass, California. — Danthonia

Californica. Oat-grass, Downy.—Avena pubescens.

Oat-grass, Early Wild.—Aira præcox. Oat-grass, False. — Arrhenatherum. avenaceum.

Oat-grass, Golden.—Avena flavescens. Oat-grass, Marsh.—Trisetum palustre. Oat-grass, Meadow.—Avena pratensis. Oat-grass, Mountain. — Danthonia compressa.

Oat-grass, Purple-Wild.-Avena striata. Oat-grass, Silky-flowered. – Danthonia sericea.

Oat-grass, Spiked Wild.—Danthonia spicata.

Oat-grass, Tall.—Arrhenatherum aven-

aceum.
Oat-grass, Tall Meadow. — Arrhenatherum avenaceum.

Oat-grass, Taller Wild.— Danthonia sericea.

Oat-grass, Tennessee. — Danthonia compressa.

Oat-grass, Wild.—Applied to species of Danthonia; Stipa viridula,

Oat-grass, Yellow.—Avena flavescens. Oat-like Indian grass. — Sorghum nutans.

Oat-like Sorghum.—Sorghum avenaceum.

Oats, Australian.—Bromus unioloides. Oats, Sea-side. - Uniola paniculata.

Oats, Sand.—Avena fatua.

Oats, Water.—Zizania aquatica. Oats, Wild.—Uniola latifolia, Zizania miliacea, Avena fatua, Calamagrostis Nuttalliana.

Old Fog.—Danthonia spicata.

Old Witch-grass.—Panicum capi!lare. Oplismenus setarius, R. & S.-

Creeping Beard-grass. Orchard grass.—Dactylis glomerata. Orcheston grass.—Poa trivialis. Oregon Rice.—Sorghum vulgare.

Oryzopsis asperifolia, Mx.-Mountain Rice, Large, white-grained Mountain Rice.

Oryzopsis Canadensis, Torr.—Small Mountain Rice.

Oryzopsis cuspidata, Scribn.—Indian Millet, Bunch grass, Wild Millet, Sand-grass.

Oryzopsis melanocarpa, Muhl.— Black-fruited Mountain Rice.

Pale Manna-grass.—Glyceria pallida. Pampas Rice.—Sorghum vulgare.

Panic grass.—Generic name species of Panicum.

Bitter. — Panicum Panic grass, amarum.

Panic Bent-grass.—Panicum agrostoides.

Panicum agrostoides, Muhl.--Panic Bent-grass, Munro-grass, Redtop, Panic-grass.

Ell. — Bitter Panicum amarum, Panic-grass.

Panicum barbinode, Trin.—Same as P. molle Sw.

capillare, Linn.—Old Panicum -Witch-grass, Fool-hay.

Panicum Crus-galli, Linn.—Barngrass, Barn-yard grass, Cock's foot, Water-grass, Large Crowfoot-grass.

Panicum Curtisii, Chapm.-Maiden Cane, Simpson's grass.

Panicum divaricatum, Linn.— Branching Panic, Small Cane.

Panicum filiforme.—Slender Crab-

Panicum hirtellum.—Same as Oplismenus setarius, R. & S.

Panicum jumentorum, Pers. (P. maximum Jacq.)—Guinea-grass, St. Mary's grass.

Panicum miliaceum, Linn.—Com-

mon Millet, Millet

Panicum molle, Sw. (P. barbinode)— Para grass, Yerba de Para, Spanish grass

Panicum proliferum, Lam,-Sprouting Crab-grass.

Panicum obtusum, H. B. K.—Vine Mesquit, Grape-vine Mesquit, Grape-vine grass.

Panicum sanguinale, Linn.—Crabgrass, Finger-grass, Hairy Finger grass, Manna grass, Polish Millet.

Panicum Texanum, Buckl.—Texas Millet, Bottom grass, Colorado grass, River-grass, Goose-grass, Buffalo-grass, Austin-grass.

Panicum virgatum, Linn.—Switch-grass, Wild Red-top, Black grass, Bent.

Para grass.—Panicum molle (P. barbinode.)

Paspalum distichum, Linn.—Knot grass, Joint-grass.

Paspalum ovatum.—Hairy-flowered Paspalum.

Paspalum platycaule, Poir.—Louisiana grass.

Paspalum plicatulum, Michx.— Bull grass, Purple Paspalum, (Same as P. undulatum.)

Paspalum undulatum.—See P. plicatulum.

Pearl Millet.— Pennisetum spicatum.

Penicillaria spicata.—Same as Pennisetum spicatum.

Pennisetum spicatum.—Pearl Millet, Japan Millet, Cat-tail Millet, East India Millet, Horse Millet, Egyptian Millet, Indian Millet, African Millet, African Cane.

Perennial Rye-grass.-Lolium perenne. Phalaris arundinacea, Linn.-Reed

Canary-grass, Ribbon-grass. Phalaris Canariensis, Linn.

Canary-grass.

Phalaris intermedia, Bosc.—Southern Canary-grass, California Timothy, Reed Canary-grass, American Canary-grass, Stew-Canary-grass, Gilbert's Relief-grass.

Phleum alpinum, Linn.-Mountain Timothy, Native Timothy.

Phleum pratense, Linn.—Timothy, Herd's grass, Cat's-tail-grass, Meadow Cat's-tail-grass, Tame

Timothy.

Phragmites communis, Trin.— Common Reed or Reed-grass.

Pigeon-grass.—Setaria viridis.

Pigeon-grass, green.—Setaria viridis. Pine Bunch-grass.—Festuca Sp.

Pinon-grass.—Festuca ovina. Plume-grass.—Erianthus saccharoides (E. alopecuroides).

Poa alpina, Linn.—Mountain Speargrass, Mountain Poa.

Poa alsodes, Gray.-Wood Speargrass

Poa andina, Nutt.—Bunch Speargrass, Bunch-grass, Mountain Spear-grass.

Poa annua, Linn.—Low Spear-grass, Spear-grass, Annual Meadowgrass, Dwarf Meadow-grass, Early Meadow-grass, May-grass, Goose-grass, Suffolk-grass.

arachnifera, Torr. - Texas Blue-grass.

Poa Californica, Vasey.—California Blue-grass.

Poa compressa, Linn. — Creeping Spear-grass, Blue grass, Smaller Blue-grass, English Blue-grass, Creeping Poa, Wire-grass, Flatstalked Meadow-grass, Flat-stalked Blue-grass.

Poa flexuosa, Muhl.—Southern Spear-grass.

Poa laxa, Henk.—Wavy Meadow-grass, Alpine Meadow-grass. Poa pratensis, Linn.—Kentucky Blue-grass, Blue-grass, Greengrass, June-grass, Smooth Meadow-grass, Common Speargrass, Spear-grass, English-grass, Brow-top-grass, Smooth stalked Meadow-grass.

Poa tenuifolia, Nutt.—Bunch-grass. Poa serotina, Ehrh.—False Red-top, Fowl Meadow-grass, Duck-grass, Swamp Wire-grass.

Poa trivialis, Linn.-Rough Meadowgrass, Roughish Meadow-grass, Rough-stalked Meadow-grass, Green-grass, Orcheston-grass, Common Meadow-grass.

Poison Rye-grass.—Lolium temulentum.

Polish Millet.—Panicum sanguinale. Polypogon Monspeliensis, Desf.-Beard grass.

Porcupine-grass.—Stipa spartea.

Poverty-grass.—Aristida dichotoma, A. lanata, Danthonia spicata.

Poverty-grass, Long-awned.- Aristida tuberculosa.

Poverty-grass, Southern.—Sporobolus vaginæflorus.

Poverty-grass, Woolly. — Aristida lanata.

Prairie-grass. — Sporobolus asper, S. vaginæflorus, Kæleriacristata, $E atonia\ obtusata.$

Prairie-grass, Australian. — Bromus unioloides.

Prairie Triple-awn.—Aristida oligan-

Prickle-grass.—Leersia oryzoides.

Prolific Rice.—Zizania miliacea (Zizaniopsis.)

Pungent Meadow-grass. — Eragrostis major.

Purple Bearded-grass.—Aristida pur-

Purple Bent.—Calamagrostis brevipilis (Ammophila brevipilis). Purple Paspalum,—Paspalum plicatu-

 $[lum\ (\vec{P}.\ undulatum)]$ Purple Sand-grass.— Triplasis pur-

purea.

Purple-Top.—Triodia cupræa, (Tricuspis seselrioides).

Purple Wild-oat.—Avena striata. Purple Wood-grass. — Andropogon scoparius.

Quack-grass.—Agropyrum repens (Triticum repens), Distichlis maritima.

Quack-grass.—Agropyrum glaucum. Quake-grass.—Agropyrum repens. Quaking-grass.— Generic name for species of Briza. Briza media.

Quaking-grass, Tall.—Glyceria Cana-

Quick-grass.—Agropyrum repens. Quitch-grass.—Agropyrum repens.

Randall-grass.—Festuca pratensis. Rat-tail grass.—Rottbællia species. Rattlesnake-grass. — Glyceria Canadensis.

Ray-grass — Lolium perenne.

Ray or Rye-grass, English.—Lolium perenne. Red Fescue.—Festuca rubra.

flexuosa, Vasey.— Redfieldia Blowout-grass.

Red-top.—Agrostis vulgaris, Calama-grostis Canadensis.

Red-top, Fall.—Triodia cupræa (Tricuspis sesterioides).

Red-top, False.—Poa serotina. Red-top, Mountain.—Agrostis exarata, A. canina.

Red-top, Northern.—Agrostis exarata. Red-top, Tall.—Triodia cupræa, Agrostis vulgaris.

Red-top, Panic.—Panicum agrostoides. Red-top, Wild.—Panicum virgatum.

Reed.—Arundinaria tecta, Ammophila arundinacea.

Reed-grass.— Phragmites communis, Cynodon Dactylon, Andropogon nutans.

Reed Bent-grass. — Calamagrostis Canadensis.

Reed, Canadian small.—Calamagrostis Canadensis.

Reed-grass, Drooping.—Cinna pendula. Reed, Indian.—Cinna arundinaceo.

Reed-grass, Salt. - Spartina polystachya.

Reed, Sea-sand.—Ammophila arundinacea.

Small. — Calamagrostis Reed-grass, Canadensis.

Reed; Sweet.—Cinna arundinacea. Reed-grass, Wood.—Cinna arundinacea.

Reed Canary-grass.—Phalaris arundinacea.

Reed Meadow-grass.—Glyceria aqua-

Relief-grass, Gilbert's.—Phalaris intermedia.

Rescue-grass.—Bromus unioloides. Rhode Island Bent.—Agrostis vulgaris, A, canina

Ribbon-grass.—Phalaris arundinacea. Rice-grass.—Leersia oryzoides.

Rice, Black-fruited Mountain.—Oryzopsis melanocarpa.

Rice, False.—Leersia oryzoides. Rice Cut-grass.—Leersia oryzoides. Rice, Indian.—Zizania aquatica. Rice, Large White-grained Moun-

tain.—Oryzopsis asperifolia.

Rice, Mountain.—Generic name for species of Oryzopsis. Oryzopsis asperifolia.

Rice, Oregon.—Sorhum vulgare. Rice, Pampas.—Sorghum vulgare. Rice, Prolific.—Zizania miliacea.

Rice, Small Mountain.—Oryzopsis Canadensis.

Rice, Tuscarora.—Zizania aquatica.

Rice, Water.—Zizania aquatica. Rice, Wild.—Zizania aquatica. River-grass.—Panicum Texanum. Rottbællia.—Rat-tail grass.

Rough Bent-grass.—Agrostis scabra.

Rough Cock's-foot.—Dactylis glomerata.

Rough Marsh-grass.—Spartina glabra. Rough Meadow-grass.—Poa trivialis. Roughish Meadow-grass.—Poa trivalis.

Rough-stalked Meadow-grass.—Poa trivalis.

Mesquit. — Hilaria Running chroides.

Rush-grass.-Generic name for species of Sporobolus (Vilfa.)

Rush-like Drop-seed.—Sporobolus junceus.

Rush Salt-grass.—Spartina juncea. Rye-grass.—Elymus Virginicus, Lolium perenne

Rye-grass, English.—Lolium perenne. Rye, Montana,—Triticum Polonicum. Rye-grass, French. — Arrhenatherum avenceum.

Rye-grass, Giant.—Elymus condensatus.

Rye-grass, Italian.—Lolium Italicum. Rye-grass, Perennial.-Lolium perenne. Rye-grass, Poison.—Lolium temulentum.

Rye-grass, Smooth.—Elymus Virginicus.

Rye-grass, Western.—Elymus condensatus,

Rye-grass, Wild.—Elymus Canadensis, Elymus condensatus, Elymus triticoides, and Elymus Virginicus.

St. Augustine-grass. — Stenotaphrum Americanum.

St. Mary's grass.—Panicum jumentorum, Sorghum Halapense. Salem grass.—Holcus lanatus,

Salt-grass.—Sporobolus airoides, Distichlis martima.

Salt-grass, Rush.—Spartina juncea. Marsh-grass. — Spartina stricta and Spartina juncea.

Salt Reed-grass.—Spartina polystachya. Sand-grass.—Triplasis purpurea, Oryzopsis cuspidata, Distichlis maritima, Ammophila longifolia, Andropogon Hallii, Calamagrostis Canadensis.

Sand-Bur.—Cenchrus tribuloides.

Sand-Oats.—Avena fatua. Sand Reed.—Ammophila arundinacea.

Sand-Spur.—Cenchrus tribuloides.

Satin-grass.—Muhlenbergia glomerata. Schedonnardus Texanus, Steud.-Texan Crab-grass, Slender Tail-grass, Crab-grass, Wire-grass. Sea Meadow-grass, Creeping.—

Glyceria maritima.

Schrader's grass.—Bromus unioloides. Seutch grass. — Cynodon Dactylon, Agropyrum repens.

Sea Lyme grass, Upright.—Elymus arenarius.

Sea-sand Reed.—Ammophila arundin-

Sea-side Finger grass.—Chloris petræa.

Sea-side Hair-grass. — Muhlenbergia capillaris.

Sea-side Oats.—Uniola paniculata. Sea Spear-grass.—Glyceria maritima.

Sea Spear-grass, Creeping.—Glyceria maritima.

Sea Reed, Common. — Ammophila arundinacea.

Sedge, Broom.-Andropogon Virginicus. Sedge-grass.— Andropogon Virginicus. Seneca grass.—Hierochloa borealis.

Sesame grass.—Tripsacum dactyloides. Setaria composita, Kunth.—Large Fox-tail.

Setaria corrugata.—Wrinkled Foxtail.

Setaria Germanica.—German Millet, Hungarian grass, Bristly Fox-tail.

Setaria glauca, Beauv.—Yellow Fox-tail, Bottle grass, Fox-tail.

Setaria Italica, Kth.—Italian Millet, Bengal grass, Cat-tail Millet, Golden Millet, etc.

Setaria verticillata.—Bristly Foxtail.

Setaria viridis, Beauv.—Green Foxtail, Pigeon grass, Green Pigeon grass, Bottle grass, Wild Millet. Sheep's Fescue.—Festuca ovina.

Shining Spike-grass.—Uniola nitida. Short-leaved Beard-grass. — Gymnopogon brevifolius,

Short-stalked Meadow-grass.— Eragrostis Frankii.

Siberian Lyme-grass.—Elymus Sibiricus.

Silky-flowered Oat-grass.—Danthonia sericea.

Silver Beard-grass. — Adropogon argyræus. Simpson's grass.—Panicum Curtisii.

Six-weeks grass. — Bouteloua polystachya.

Slender Crab-grass. — Panicum filiforme.

Slender Fescue.—Festuca tenella. Slender Fox-tail.—Alopecurus agrestis.

Slender Meadow-grass. — Eragrostis pilosa.

Slender Spike-grass.—Uniola gracilis. Slender Tail-grass.—Schedonnardus Texanus, (Lepturus paniculatus).

Slough grass.-Beckmannia erucæformis, Spartina cynosuroides.

Smaller Blue-grass.—Poa compressa. Small Cane.—Panicum divaricatum, Arundinaria tecta.

Small Fescue.—Festuca microstachya. Small-flowered White grass.—Leersia Virginica.

Small Mountain Rice. — Oryzopsis Canadensis.

Small Reed-grass, Canadian.—Calamagrostis Canadensis.

Smooth Brome-grass.—Bromus racemosus

Smooth Marsh-grass. — Spartina alterniflora.

Smooth Meadow-grass.—Poa praten-

Smooth Rye-grass.—Elymus Virginicus.

Smooth-stalked Meadow-grass.—Poa pratensis.

Smut grass.—Sporobolus Indicus.

Soft Brome-grass.—Bromus mollis.

Soft Chess.—Bromus mollis.

Soft-grass, Creeping.—Holcus mollis. Soft-grass, Meadow.—Holcus lanatus. Soft-grass, Woolly.—Holcus lanatus.

Sorghum avenaceum, Mx.-Indian grass, (Same as Andropogon nutans, L. var avenceus. Hack.)

Sorghum cernuum.—Chicken Corn, Guinea Corn, White Egyptian Corn.

Sorghum Halapense, Pers.—Same as Andropogon Sorghum, Brot. var. Halapensis Hack. which see.

Sorghum nutans, Gray.-Indian-Wood-grass, Oat-like grass, Indian grass. (Same as Andropogon nutans, L.)

Sorghum saccharatum. - Sweet Sorghum, Chinese Sugar Cane, African Cane, Broom Corn.

Sorghum vulgare, Pers.—(now referred to Andropogon Sorghum, Brot. var. vulgaris).—Sorghum, Sugar Cane, Broom Corn, Indian Millet, Chinese Wheat, Ivory Wheat, Pampas Rice, Chinese Sugar Cane, African Corn, Guinea Corn, Duora Corn, Chocolate Corn, Great Millet, Oregon Rice.

Southern Bent-grass.—Agrostis elata. Southern Canary-grass.—Phalaris intermedia.

Southern Eragrostis.—Eragrostis Purshii.

Southern Poverty-grass.—Sporobolus vaginæflorus.

Southern Spear-grass. — Eragrostis Purshii, Poa flexuosa.

Spanish grass.—Panicum molle.

Spartina alterniflora. - Smooth Marsh-grass.

Spartina cynosuroides, Willd.-Cord-grass, Fresh-water Cordgrass, Marsh-grass, Bull-grass, Thatch-grass, Slough-grass.

Spartina glabra, Muhl. - Marshgrass, Rough Marsh-grass.
Willd. — White

Spartina juncea, Willd. -Rush, Marsh-grass, Salt-grass, Salt Marsh-grass, Rush Marsh-

Spartina polystachya, Willd.—Salt Reed-grass.

Spartina stricta, Roth.—Salt Marshgrass.

Spear-grass.—Poa annua, Poa pratensis. Triodia trinerviglumis, Stipa spartea.

Spear-grass, Branching.— Eragrostis tenuis.

Spear-grass, Bunch.—Poa Andina.

Spear-grass, Creeping.—Poa compressa.

Spear-grass, Creeping Sea.—Glyceria maritima.

Spear-grass, Low.—Poa annua.

Spear-grass, Meadow. — Glyceria nervata.

Spear-grass, Mountain.—Poa Andina. Spear-grass, Sea.—Glyceria maritima. Spear-grass, Southern.—Poa flexuosa, Eragrostis Purshii.

Spear-grass, White.—Glyceria aqua-

Spear-grass, Wood.—Poa alsodes.

Spider Bent-grass.— Agrostis arachnoides.

Spike-grass. — Generic name species of Uniola. Uniola paniculata, Diplachne fascicularis, Distichlis maritima.

Spike-grass, Shining.—Uniola nitida. Spike-grass, Slender.—Uniola gracilis. Spiked Fescue.—Festuca loliacea.

Spiked Wild Oat-grass.—Danthonia spicata.

Sporobolus airoides, Torr.-Saltgrass, Fine-top.

Sporobolus asper, Kunth.—Prairie grass.

Sporobolus heterolepis, Gray.-Wire-grass, Bunch-grass, Strongscented Sporobolus.
Sporobolus Indicus, R. Br.—Smut-

grass, Carpet-grass, Drop-seedgrass.

Sporobolus junceus, Kth.—Rushlike Drop-seed grass, Wire-grass.

Sporobolus serotinus.—Late Dropseed grass.

Sporobolus vaginæflorus, Vasey.— Southern Poverty-grass, Prairiegrass.

Sporobolus Wrightii, Munro.— "Zacaton" or "Zacate" grass, Maton (of the Mexicans).

Spring-grass, Sweet-scented. — Anthoxanthum odoratum.

Sprouting Crab-grass.—Panicum proliferum.

Squirrel-tail grass.— Hordeum jubatum and H. pratense.

Stenotaphrum Americanum, Schk. -Hard grass, St. Augustine grass.

Stewart's Canary-grass.—Phalaris intermedia.

Stink-grass. — Eragrostis minor and major.

Stipa avenacea, Linn.—Black Oatgrass, Feather-grass.

Stipa comata.-Needle-grass, Feather grass, Bunch-grass, Needle and Thread.

Stipa pennata, Linn. — Feathergrass

Stipa setigera, Presl.—Bear-grass,

Bunch-grass.

Bunch-grass.

Trin. — Porcupine-Stipa spartea, grass, Devil's Darning-needles, Devil's Knitting-needles, Speargrass, Arrow-grass, Buffalo-grass (in the Saskatchawan region).

Stipa viridula, Trin.—Feather Bunch-grass, Bunch grass, Wild Oat-grass, Wild Oats, Feathergrass

Strong-scented Meadow-grass.—Eragrostis minor.

Strong-scented Sporobolus (Vilfa.)— Sporobolus heterolepis.

Suffolk-grass.—Poa annua.

Sugar Cane, African.—Sorghum saccharatum.

Sugar Cane.—Sorghum rulgare. Sugar Cane, Chinese.—Sorghum saccharatum, S. vulgare.

Summer Dew-grass.—Agrostis rulgare. Swamp Chess.—Bromus ciliatus.

Swamp Wire-grass.—Poa serotina. Sweet-grass.—Hierochloa borealis.

Sweet-scented-grass. — Anthoxanthum

odoratum. Sweet-scented Spring-grass. — Anthoxanthun odoratum.

Sweet-scented Vernal.-Anthoxanthum odoratum.

Sweet Reed.—Cinna arundinacea.

Sweet Sorghum.—Sorghum saccharatum.

Sweet Vernal grass.—Anthoxanthum odoratum.

Switch-grass.—Panicum virgatum. Syrian-grass.—Sorghum Halapense.

Tail-grass, Slender.— Schedonnardus Texanus.

Tall Fescue.—Festuca elatior. Tall Grama.—Bouteloua hirsuta.

Tall Oat-grass.—Arrhenatherum avenaceum.

Tall Quaking-grass.— Glyceria Canadensis

Tall Red-top — Triodia cupraa (Tricuspis seslerioides), Agrostis vulgaris.

Tall, Smooth, Panic-grass.—Panicum virgatum.

Tall Thin-grass.—Agrostis elata.

Taller Wild-grass.—Danthonia sericea. Tame Timothy.—Phleum pratense.

Tear-grass.—Coix lachryma. Tears Job's.—Coix lachryma.

Tennessee Oat-grass.—Danthonia compressa.

Teosinte.—Euchlana luxurians.

Terrell-grass.—Elymus Virginicus and E. Canadensis.

Texan Blue-grass.—Poa arachnifera. Texan Crab-grass. — Schedonnardus Texanus.

Texas Millet.—Panicum Texanum. Thatch-grass.—Spartina cynosuroides. Thin-grass.—Agrostis perennans.

Thin-grass, Tall.—Agrostis elata. Tickle-grass.—Agrostis scabra. •

Timothy.—Phleum pratense.
Timothy, Californian.—Phalaris intermedia, var. angusta.

Timothy, Mountain.—Alopecurus occidentalis.

Timothy, Native.—Phleum alpinum. Timothy, Tame.—Phleum pratense.

Timothy, White.—Holcus lanatus. Timothy, Wild.—Muhlenbergia glomerata, Beckmannia erucæformis,

Setaria viridis. Toothache-grass. — Ctenium Ameri-

canum. Trichloris verticillata.—Branching

Fox-tail, Fox-tail. Tricuspis sesleroides.—See Triodia

cupræa. Triodia acuminata. - White Tuft-

grass. Triodia cupræa, Jacq.—Tall Red-

top, Fall Red-top, Purple-top. (Same as Tricuspis sesteroides).

Triplasis Americana, Beauv.— Horned Spear-grass

Triplasis purpurea, Chapm.—Purple Sand-grass, Sand-grass.

Triple-awned grass.—Generic name for species of Aristida.

Linn. -Tripsacum dactyloides, Gama-grass, Sesame-grass, Bullgrass.

Trisetum palustre, Linn.-Marsh Oat-grass

Trisetum subspicatum, var. molle. Gray.—Downy Persoon, Downy Oat-grass (?).

Triticum caninum.—Same as Agropyrum caninum.

Triticum repens.—Same as Agropyrum repens. **Triticum Polonicum.**—Wild-goose

Wheat, Montana Rye. Triticum sativum, L.-Wheat. Tuft-grass, White. - Triodia accuminata.

Tufted Hair-grass. — Deschampsia cæspitosa.

Turkey-foot grass. — Andropogon Hallii, A. provincialis.

Tuscarora Rice. -- Zizania aquatica and Z. miliacea.

Twin-grass.—Diarrhena Americana. Twitch-grass.—Agropyrum repens.

Uniola gracilis, Mx.--Slender Spikegrass.

Uniola latifolia, Mx.—Broad-leaved Spike-grass, Wild Fescue grass, Wild Oats.

nitida. — Shining Uniola Spikegrass.

Uniola paniculata, Linn.—Sea-side Oats, Beach-grass, Spike-grass. Upright Chess.—Bromus racemosus.

Upright Sea-Lyme grass.— Elymus arenarius.

Valley-grass, Green.—Sorghum Hala-

Vanilla-grass.—Hierochloa borealis. Velvet-grass.—Holcus lanatus.

Velvet Lawn-grass.—Holcus lanatus. Velvet Meadow-grass, Soft.—Holcus lanatus.

Velvet Mesquit.—Holcus lanatus. Vernal-grass.— Anthoxanthum odoratum.

Vernal-grass, Sweet.—Anthoxanthum odoratum.

Vine Mesquit.—Panicum obtusum. Virginia Beard-grass. — Andropogon Virginicus.

Virginia Cut-grass.—Leersia Virginica. Virginia Lyme-grass.— Elymus Virainicus.

Water Fox-tail—Alopecurus genicula-

Water Fox-tail, Wild.—Alopecurus aristulatus.

Water-grass.—Panicum Crus-galli. Water Oats.—Zizania aquatica. Water Rice.—Zizania aquatica.

Wavy Meadow-grass.—Poa laxa. Western Beard-grass.—Aristida pur-

western Fescue. — Festuca microstachys.

Western Rye-grass.—Elymus condensatus.

Wheat-grass. — Generic name for species of Agropyrum. Agropyrum glaucum.

Wheat-grass, Awned. — Agropyrum caninum.

Wheat-grass, Bearded.—Agropyrum caninum.

Wheat-grass, Creeping.—Agropyrum repens.

Wheat-grass, Fibrous-rooted.—Agropyrum caninum.

Wheat, Chinese.—Sorghum vulgare. Wheat, Ivory.—Sorghum vulgare. Wheat, Wild.—Elymus triticoides.

Wild-goose. — Triticum Wheat.

Polonicum. White Bent.—Agrostis alba, Andro-

pogon scoparius.

White Egyptian Corn.—Sorghum cernuum.

WhiteGramma.-Boteloua oligostachya, var. and Aristida sp. undt. (near Odessa, Texas).

White-grass. — Leersia oryzoides, L. Virginica.

White-grass, Small-flowered.—Leersia Virginica.

White Rush.—Spartina juncea.

White Spear-grass.—Glyceria aquatica. White Timothy.—Holcus lanatus.

White-top.—Danthonia spicata, Agrostis alba.

White Tuft-grass.-- Triodia acuminata. White Yorkshire.—Holcus lanatus.

Wild Barley.—Hordeum pratense. Wild Chess.—Bromus Kalmii.

Wild Fescue-grass.—Uniola latifolia. Wild-goose Wheat.—Triticum Poloni-

Wild June-grass.—Kæleria cristata. Wild Oat-grass, Purple. — Avena

striata. Wild Millet-grass.— Milium effusum, Oryzopsis cuspidata, Setaria viridis.

Wild Oat-grass or Oat-grass.—Species of Danthonia, Andropogon nutans, Arrhenatherum avenaceum.

Wild Oat-grass.—Danthonia spicata, Sorghum nutans (Chrysopogon nutans. Stipa viridula.

Wild Oats.—Avena fatua, Uniola latifolia, Zizania latifolia, and Calamagrostis Nuttalliana.

Wild Quack-grass. — Agropyrumglaucum.

Wild Red-top.—Panicum virgatum.
Wild Rice.—Zizania aquatica
Wild Rye.—Elymus Virginicus,

triticoides and E. condensatus.

Wild Timothy.—Muhlenbergia glomerata, Setaria viridis, Beckmannia erucæformis.

Wild Water Foxtail. — Alopecurus aristulatus.

Wild Wheat.—Elymus triticoides.

Willard's Brome-grass. — Bromus secalinus.

Wire-grass.—Mulenbergia diffusa, Poa compressa, Sporobolus junceus, Aristida stricta, Cynodon Dactylon, Eleusine Indica, Andropogon scoparius, Sporobolus heterolepis, Schedonnardus Texanus. Also applied to Juncus species.

Wire-grass, Swamp.—Poa serotina. Wire-Bunch-grass.—Agropyrum diver-

gens.

Witch-grass.—Agropyrum repens Witch-grass, Old.—Panicum capillare. Wood-grass.—Sorghum nutans, Muhlenbergia Mexicana.

Wood-grass, Finger-spiked.—Andropogon provincialis.

Purple. — Andropogon

Wood-grass,

OSCL

scoparius. Wood Hair-grass.—Deschampsia flexu-

Wood Meadow-grass.—Poa nemoralis. Wood Reed-grass.—Cinna arundinacea.

Wood Spear-grass.—Poa alsodes. Woolly Beard-grass.—Erianthus alopecuroides (E. saccharoides).

Woolly Bent-grass.--Ammophilalongifolia (Calamagrostis longifolia). Woolly-jointed Grama — Bouteloua

eriopoda.

Woolly Poverty-grass. — Aristida lanata. Wooley Soft-grass.—Holcus lanatus. Woolly Triple-awn.—Aristida lanata.

Yard-grass.—Eleusine Indica. Yellow Fox-tail.—Setaria glauca. Yellow Oat-grass.—Avena flavescens. "Yerba de Para".—Panicum molle Sw. Yorkshire Fog.—Holcus lanatus. Yorkshire White.—Holcus lanatus.

"Zacate de liebre".—Aristida Claifornica.

Zacate-grass.—Sporobolus Wrightii. Zacaton.—Sporobolus Wrightii.

Zea Mays.—Indian Corn or Maize. Zizania aquatica, Linn. — Indian Rice, Wild Rice, Water Rice, Tuscarora Rice, Water Oats. Zizania miliacea, Mx.—Tuscarora

Rice, Wild Oats, Prolific Rice.

